
CASINO







Tuber Characteristics

| Shape: | Long-oval |
|--------------------------|--------------|
| Skin colour: | Yellow |
| Flesh colour: | Light yellow |
| Eye Depth: | Shallow |
| Dormancy: | Long (8) |
| Dry Matter Content: | 21% |
| Overall keeping quality: | Good |
| Damage: | 7 |
| Bruising: | 7 |
| Yield: | High |

Resistance to Diseases & Pests

| Common Scab: | 5 |
|-----------------|---|
| Powdery scab: | 3 |
| Foliage blight: | 4 |
| Tuber blight: | 4 |
| Blackleg: | 2 |
| Wart disease: | I |
| PCN Ro1: | R |
| PCN Pallida: | S |

Growing Advice

- · Consider breaking the dormancy of seed prior to planting to enable faster and more even emergence.
- CASINO is prolific; wide inter-row spacing is advised to produce bold tubers.
- · Herbicide sensitivity: Metribuzin can be used pre-emergence only.

Key

Scale of 1 to 9 (9 being the most desirable)

I = Immune R = Resistant

S = Susceptible n/a = Result Not Available

Cooking Type A = FirmB = Fairly Firm

C = Floury

D = Very Floury

IPM Potato Group Limited cannot be held liable for any loss or damage arising from the use of this information.